

Oklahoma Geological Survey Publications on Fossils

Bulletins

- Bulletin 24 Part 1. Geology of a portion of northeastern Oklahoma. Part 2. Paleontology of the Chester group in Oklahoma, by L. C. Snider. 1915.
- Bulletin 45 Fossiliferous boulders in the Ouachita "Caney" shale, and the age of the shale containing them, by E. O. Ulrich. 1927
- Bulletin 53 Micropaleontology of the Wetumka, Wewoka, and Holdenville formations, by A. S. Warthin, Jr. 1930.
- Bulletin 75 Ostracoda of the Simpson Group of Oklahoma, by R. W. Harris. 1957.
- Bulletin 78 Stratigraphy and paleontology of the Hunton Group in the Arbuckle Mountain region. Part II, Haragan articulate brachiopods, by Thomas W. Amsden. Part III, Supplement to the Henryhouse brachiopods, by Thomas W. Amsden. Part IV, New genera of brachiopods, by Arthur J. Boucot and Thomas W. Amsden. 1958.
- Bulletin 82 Stratigraphy and paleontology of the Hunton Group in the Arbuckle Mountain region. Part V, Bois d'Arc articulate brachiopods, by Thomas W. Amsden. 1958.
- Bulletin 84 Stratigraphy and paleontology of the Hunton Group in the Arbuckle Mountain region. Part VI, Stratigraphy, by Thomas W. Amsden. 1960.
- Bulletin 85 Stratigraphy and paleontology of the Hunton group in the Arbuckle Mountain region. Part VI, Stratigraphy, by Thomas W. Amsden. 1960.
- Bulletin 93 Late Desmoinesian crinoid faunule from Oklahoma, by Harrell L. Strimple. 1961.
- Bulletin 94 Early Devonian brachiopods of Oklahoma. Part I, Articulate brachiopods of the Frisco Formation (Devonian), by Thomas W. Amsden and W. P. S. Ventress. Part II, Articulate brachiopods of the Sallisaw Formation (Devonian), by Thomas W. Amsden. Part III, Supplement to the Haragan (Devonian) brachiopods, by Thomas W. Amsden. 1963.
- Bulletin 96 Pennsylvanian cephalopods of Oklahoma, by A. G. Unklesbay. 1962.
- Bulletin 100 Crinoids of the Hunton Group (devonian-Silurian) of Oklahoma, by H. L. Strimple. 1963.
- Bulletin 104 Biostratigraphy and rugose coral of the Lower Pennsylvanian Wapanucka Formation in Oklahoma, by Charles L. Rowett and Patrick K. Sutherland. 1964.
- Bulletin 108 Ostracodes of the Henryhouse Formation (Silurian) in Oklahoma, by Robert F. Lundin. 1965.
- Bulletin 109 Rugose corals of the Henryhouse Formation (Silurian) in Oklahoma, by Patrick K. Sutherland. 1965.
- Bulletin 110 Late Cambrian and earliest Ordovocian trilobites, Timbered Hills and Lower Arbuckle Groups, western Arbuckle Mountains, Murray County, Oklahoma, by James H. Stitt. 1971.
- Bulletin 112 Palynology of the Red Branch Member of the Woodbine Formation (Cenomanian), Bryan County, Oklahoma, by Richard Hedlund. 1966.
- Bulletin 113 Pennsylvanian fusulinids in the Ardmore basin, Love and Carter Counties, Oklahoma, by Dwight E. Waddell. 1966.

- Bulletin 115 [Trilobites of the Henryhouse Formation \(Silurian\) in Oklahoma](#), by K. S. W. Campbell. 1967.
- Bulletin 116 [Ostracodes of the Haragan Formation \(Devonian\) in Oklahoma](#), by Robert F. Lundin. 1968.
- Bulletin 117 [Articulate brachiopods of the Viola Formation \(Ordovician\) in the Arbuckle Mountains, Oklahoma](#), by Leonard P. Alberstadt. 1973.
- Bulletin 119 [Late Ordovician and Early Silurian articulate brachiopods from Oklahoma, southwestern Illinois, and eastern Missouri](#), by Thomas W. Amsden. 1975.
- Bulletin 123 [Trilobites of the Haragan, Bois d'Arc, and Frisco Formations \(Early Devonian\), Arbuckle Mountains region, Oklahoma](#), by K. S. W. Campbell. 1977.
- Bulletin 124 [Late Cambrian and earliest Ordovician trilobites, Wichita Mountains area, Oklahoma](#), by James H. Stitt. 1977.
- Bulletin 125 [Articulate brachiopods of the Quarry Mountain Formation \(Silurian\) eastern Oklahoma](#), by Thomas W. Amsden. 1978.
- Bulletin 127 [Cranial anatomy of primitive captorhinid reptiles from the Late Pennsylvanian and Early Permian, Oklahoma and Texas](#), by Malcolm J. Heaton. 1979.
- Bulletin 130 [Plant microfossils from the Denton Shale Member of the Bokchito Formation \(Lower Cretaceous, Albian\) in southern Oklahoma](#), by F. H. Wingate. 1981.
- Bulletin 132 [Upper Bromide Formation and Viola Group \(Middle and Upper Ordovician\) in eastern Oklahoma. Part I. Welling-Fite-Corbin Ranch strata](#), by Thomas W. Amsden. [Part II. Conodont biostratigraphy of Fite Formation and Viola Group](#), by Walter C. Sweet. [Part III. The Late Ordovician brachiopod genera Lepidocyclus and Hiscobeccus](#), by Thomas W. Amsden. 1983.
- Bulletin 133 [Calcareous foraminifers and algae from the type Morrowan \(Lower Pennsylvanian\) region of northeastern Oklahoma and northwestern Arkansas](#), by John R. Groves. 1983.
- Bulletin 134 [Trilobites, biostratigraphy, and lithostratigraphy of the McKenzie Hill Limestone \(Lower Ordovician\), Wichita and Arbuckle Mountains, Oklahoma](#), by James H. Stitt. 1983.
- Bulletin 136 [The Atokan Series \(Pennsylvanian\) and its boundaries—A symposium](#). Patrick K. Sutherland and Walter L. Manger, editors. 1984.
- Bulletin 138 [Brachiopods from the Turkey Creek limestone \(Early Devonian\), Marshall County, southern Oklahoma](#), by Thomas W. Amsden. 1985.
- Bulletin 141 [Conodonts and conodont biostratigraphy of the McLish and Tulip Creek Formations \(Middle Ordovician\) of south-central Oklahoma](#), by Jeffrey A. Bauer. 1987.
- Bulletin 143 [Late Ordovician through Early Devonian annotated correlation chart and brachiopod range charts for the southern Midcontinent region, U.S.A., with a discussion of Silurian and Devonian conodont faunas](#), by Thomas W. Amsden and James E. Barrick. 1988.
- Bulletin 145 [Special papers in paleontology and stratigraphy: a tribute to Thomas W. Amsden](#) (James R. Chaplin and James E. Barrick, editors). 1992.
- Bulletin 146 [First occurrence of Deinonychus antirrhopus \(Dinosauria: Theropoda\) from the Antlers Formation \(Lower Cretaceous: Aptian-Albian\) of Oklahoma](#), by Daniel L. Brinkman, Richard L. Cifelli, and Nicholas J. Czaplewski. 1998.
- Bulletin 147 [A synopsis of the Pleistocene vertebrates of Oklahoma](#), by Kent S. Smith and Richard L. Cifelli. 2000.
- Bulletin [Organic-Walled Microphytoplankton of the Sylvan Shale \(Richmondian: Upper](#)

- 148 [Ordovician\), Arbuckle Mountains, Southern Oklahoma](#), by Geoffrey Playford and Reed Wicander. 2006.
- Bulletin 149 [Trilobite Biostratigraphy and Correlation of the Kindblade Formation \(Lower Ordovician\) of Carter and Kiowa Counties, Oklahoma.](#), by James Douglas Loch. 2007.
- Bulletin 150 [Conodonts and Conodont Biostratigraphy of the Joins and Oil Creek Formations, Arbuckle Mountains, South-central Oklahoma](#), by Jeffrey A. Bauer. 2010.

Circulars

- Circular 18 [A comparative faunal chart of the Mississippian and Morrow formations of Oklahoma and Arkansas](#), by Robert Roth. 1929.
- Circular 21 [Foraminifera from the Atoka formation of Oklahoma](#), by J. J. Galloway and Charles R Yniker. 1930.
- Circular 31 [Desmoinesian fusulinids of northeastern Oklahoma](#), by R. D. Alexander. 1954.
- Circular 32 [Pennsylvanian plant microfossils of the Croweburg coal in Oklahoma](#), by L. R. Wilson and William S. Hoffmeister. 1956.
- Circular 37 [A new Pleistocene fauna from Harper County, Oklahoma](#), by Dwight W. Taylor and Claude W. Hibbard. 1955.
- Circular 38 [Catalog of fossils from the Hunton group, Oklahoma](#), by Thomas W. Amsden. 1956.
- Circular 39 [Chester Foraminifera and Ostracoda from the Ringwood pool of Oklahoma](#), by R. W. Harris. 1956.
- Circular 43 [Catalog of fossils from the Middle and Upper Ordovician of Oklahoma](#), by Thomas W. Amsden. 1957.
- Circular 44 [Stratigraphy and paleontology of the Hunton Group in the Arbuckle Mountain region. Part I, Introduction to stratigraphy](#), by Thomas W. Amsden. 1957.
- Circular 45 [A Pliocene vertebrate fauna from Ellis County, Oklahoma](#), by D. B. Kitts. 1957.
- Circular 49 [Permian plant microfossils from the Flowerpot Formation, Greer County, Oklahoma](#), by L. R. Wilson. 1962.
- Circular [The genus Paragassizocrinus in Oklahoma](#), by H. L. Strimple. 1960.

- Circular 59 [Permian vertebrates from Oklahoma and Texas. Part I. Vertebrates from the Flowerpot Formation, Permian of Oklahoma](#), by Everett C. Olson and Herbert Harghusen. [Part II. The osteology of *Captorhinikos chozaensis* Olson](#), by Everett C. Olson. 1962.
- Circular 60 [Crinoids from the Oologah Limestone Formation, Tulsa County, Oklahoma](#), by Harrell L. Strimple. 1962.
- Circular 66 [Chitons from the Kindblade Formation \(Lower Ordovician\), Arbuckle Mountains, southern Oklahoma](#), by Allyn G. Smith and Donald F. Toomey. 1964.
- Circular 67 [The ammonoid family *Girtyoceratidae* in the southern Midcontinent](#), by J. A. McCaleb, J. H. Quinn, and W. M. Furnish. 1964.
- Circular 70 [New Permian vertebrates from the Chickasha Formation in Oklahoma](#), by Everett C. Olson. 1965.
- Circular 72 [Studies of Pennsylvanian Corals in Oklahoma](#), by Charles L. Rowett and J. M. Cocke, 1966.
- Circular 74 [Early Permian vertebrates of Oklahoma](#), by Everett C. Olson. 1967.
- Circular 78 [Calceocrinids from the Bromide Formation \(Middle Ordovician\) of southern Oklahoma](#), by James C. Brower. 1977.
- Circular 94 [Recent advances in Middle Carboniferous biostratigraphy—a symposium](#) (Patrick K. Sutherland and Walter L. Manger, editors). 1990.

Guidebooks

- Guidebook 16 [Late Paleozoic Conodonts from the Ouachita and Arbuckle Mountains of Oklahoma](#), by Maxim K. Elias, 1966.
- Guidebook 18 [Mississippian-Pennsylvanian Boundary in Northeastern Oklahoma and Northwestern Arkansas](#), by Patrick K. Sutherland and Walter L. Manger, eds., 1977.
- Guidebook 27 [Early to middle Paleozoic conodont biostratigraphy of the Arbuckle Mountains, southern Oklahoma](#) (Scott M. Ritter, editor). 1990.

Oklahoma Geology Notes

| | | | | | |
|-----|--------------|-----------|------|--|------------------------------|
| 276 | Branson | Carl C. | 1954 | New Oklahoma graptolite discovery | Vol. 14, no.12,p.166 |
| 304 | anon | | 1956 | Oklahoma fossil jellyfish | Vol. 16, no.2, p.23 |
| 315 | Frederickson | E.A. | 1956 | Rare fossil chiton from Ada, Oklahoma | Vol. 16, no.7, p.65-66 |
| 326 | anon | | 1956 | Oklahoma fossil locality and a new snail | Vol. 16, no.9, p.101 |
| 329 | Branson | Carl C. | 1956 | New Oklahoma fusulines | Vol. 16, no.9, p.103-104 |
| 333 | Branson | Carl C. | 1956 | A little known Oklahoma fossil | Vol. 16, no.11, p.126-128 |
| 334 | Branson | Carl C. | 1956 | Oklahoma microcrinoids | Vol. 16, no.12, p.130 |
| 337 | Amsden | Thomas W. | 1956 | Additional fossils from the Hunton Group, Oklahoma | Vol. 16, no.12, p.138-139 |
| 350 | Branson | Carl C. | 1957 | Oldest conodonts found in Oklahoma | Vol. 17, no.2, p.21 |
| 360 | anon | | 1957 | Springer fossils described | Vol. 17, no.7, p.68 |
| 361 | anon | | 1957 | Missourian fusulinids described | Vol. 17, no.7, p.69-70 |
| 366 | Branson | Carl C. | 1957 | Goddard brachiopods described | Vol. 17, no.8, p.78 |
| 372 | Branson | Carl C. | 1957 | Pelecypods of Oklahoma late Mississippian | Vol. 17, no.9, p.86 |
| 375 | Branson | Carl C. | 1957 | Ordovician conodonts | Vol. 17, no.9, p.87 |
| 392 | Amsden | Thomas W. | 1958 | Additions to the catalog of Ordovician fossils | Vol. 18, no.1, p.13 |
| 393 | Amsden | Thomas W. | 1958 | Recently published illustrations of the Haragan Ostracod <i>Beyrichia fittsi</i> Roth 1929 | Vol. 18, no.1, p.14 |
| 399 | Kitts | David B. | 1958 | A saber-tooth cat, <i>Smilodon californicus</i> Bovard, from Logan County, Oklahoma | Vol. 18, no.2, p.19-23 |
| 401 | Wilson | L.R. | 1958 | Plant microfossils in the Cabaniss coals of Oklahoma and Kansas | Vol. 18, no.2, p.27-30 |
| 403 | Amsden | Thomas W. | 1958 | Addition to the catalog of Ordovician fossils | Vol. 18, no.3, p.34 |
| 410 | Amsden | Thomas W. | 1958 | Frisco brachiopod from a Hunton core, Pottawatomie County | Vol. 18, no.4, p.73-76 |
| 414 | Branson | Carl C. | 1958 | Two Oklahoma foraminifera | Vol. 18, no.4, p.80 |
| 416 | anon | | 1958 | Stromatoporoidea | Vol. 18, no.6 & 7,p.98 |
| 420 | Fay | Robert O. | 1958 | A key to conodont genera and subgenera | Vol. 18, no.6 & 7, p.103-120 |
| 425 | Branson | Carl C. | 1958 | Ancient fossil stump at El Reno | Vol. 18, no.6 & 7, p.125 |
| 429 | Strimple | Harrell | 1958 | Two unusual Oklahoma crinoids described | Vol. 18, no.6 & 7, p.128 |
| 434 | Branson | Carl C. | 1958 | Two Mississippian species of <i>Conocardium</i> | Vol. 18, no.8 & 9, p.137-142 |
| 437 | Branson | Carl C. | 1958 | <i>Conocardium</i> from the Hunton group | Vol. 18, no.10, p.147-151 |
| 444 | Wilson | L.R. | 1958 | Oklahoma's oldest fossil trees | Vol. 18, no.11, p.173-177 |
| 445 | Fay | Robert O. | 1958 | A key to conodont genera and subgenera:addenda | Vol. 18, no.11, p.178 |
| 446 | Branson | Carl C. | 1958 | Notes on a rare cystoid from Oklahoma | Vol. 18, no.11, p.178-179 |
| 448 | Branson | Carl C. | 1958 | Earliest description of an Oklahoma fossil | Vol. 18, no.11, p.180-181 |
| 460 | Amsden | Thomas W. | 1959 | A remarkable specimen of the trilobite <i>Isotelus</i> from the Viola limestone | Vol. 19, no.2, p.18 |
| 475 | Branson | Carl C. | 1959 | Some problematical fossils | Vol. 19, no.4, p.82-87 |

| | | | | | |
|-----|--------------|-------------|------|---|---------------------------|
| 481 | Kitts | David B. | 1959 | Two new vertebrates from the Permian Fort Sill locality (a review) | Vol. 19, no.3, p.72 |
| 483 | Branson | Carl C. | 1959 | Type locality of the earliest known Oklahoma fossil | Vol. 19, no.5, p.101-102 |
| 491 | Branson | Carl C. | 1959 | Permian sea-scorpion from Oklahoma | Vol. 19, no.5, p.111-112 |
| 494 | Strimple | Harrell L. | 1959 | Crinoids from the Missourian near Bartlesville, Oklahoma | Vol. 19, no.6, p.115-127 |
| 536 | Branson | Carl C. | 1960 | Local fossil assemblage in the Seminole formation | Vol. 20, no.1, p.16-17 |
| 541 | Branson | Carl C. | 1960 | Permian Ophiuroid occurrences | Vol. 20, no.2, p.22 |
| 542 | Branson | Carl C. | 1960 | More Oklahoma Permian insects | Vol. 20, no.2, p.28 |
| 543 | Wilson | L.R. | 1960 | Florinites Pelucidus and Endosporites Ornatus with observations on their morphology | Vol. 20, no.2, p.29-33 |
| 545 | Chenoweth | Philip A. | 1960 | Starfish impressions from the Hilltop shale | Vol. 20, no.2, p.35-36 |
| 562 | Wilson | L.R. | 1960 | Cover microfossils | Vol. 20, no.4, p.99-100 |
| 583 | Strimple | Harrell L. | 1960 | Regressive evolution among Erisocrinids | Vol. 20, no.6, p.151-155 |
| 589 | Frederickson | Edward A. | 1960 | An unusual crinoid from the Pennsylvanian of Oklahoma | Vol. 20, no.7, p.172-174 |
| 601 | Harris | Reginald W. | 1960 | An index ostracode from the Arbuckle limestone, Oklahoma | Vol. 20, no.9, p.211-216 |
| 605 | Fay | Robert O. | 1960 | The type of nucleocrinus Conrad | Vol. 20, no.9, p.236-239 |
| 609 | Strimple | Harrell L. | 1960 | The posterior interradius of Carboniferous inadunate crinoids of Oklahoma | Vol. 20, no.10, p.247-253 |
| 643 | Reimann | Irving G. | 1961 | Polydeltoideus: a new Silurian blastoid from Oklahoma | Vol. 21, no.3, p.86-89 |
| 653 | Branson | Carl C. | 1961 | Reticulatia in the Belle City limestone | Vol. 21, no.4, p.128 |
| 663 | Branson | Carl C. | 1961 | Trilobite from the Francis shale near Ada | Vol. 21, no.6, p.179--180 |
| 667 | Strimple | Harrell L. | 1961 | New species of Bronaughocrinus and Stuartwellerocrinus from the Carboniferous of Oklahoma | Vol. 21, no.7, p.186-189 |
| 673 | Fay | Robert O. | 1961 | Bibliography and index of conodonts, 1949-1958 | Vol. 21, no.8, p.202-203 |
| 677 | Branson | Carl C. | 1961 | Two new brachiopod genera from Oklahoma | Vol. 21, no.8, p.232 |
| 696 | Furnish | W.M. | 1961 | A new Desmoinesian ammonoid genus from Oklahoma | Vol. 21, no.11, p.289-293 |
| 715 | Myers | Arthur J. | 1962 | A fossil sinkhole | Vol. 22, no.1, p.13-15 |
| 720 | Strimple | Harrell L. | 1962 | Endelocrinus bransoni, a new species from the Lenapah limestone | Vol. 22, no.2, p.28-29 |
| 733 | Strimple | Harrell L. | 1962 | Crinoids of the Brownville formation | Vol. 22, no.4, p.109-110 |
| 750 | Branson | Carl C. | 1962 | Marine fossils from coal beds | Vol. 22, no.6, p.169 |
| 758 | Harris | R.W. | 1962 | New conodonts from Joins (Ordovician) formation of Oklahoma | Vol. 22, no.8, p.199-211 |
| 769 | Branson | Carl C. | 1962 | Type specimens of two Oklahoma Mississippian brachiopods | Vol. 22, no.9, p.240-244 |
| 770 | Strimple | Harrell L. | 1962 | Microcrinoids of the St. Joe group | Vol. 22, no.9, p.245-246 |
| 773 | Branson | Carl C. | 1962 | Conostichus, a scyphomedusan index fossil | Vol. 22, no.10, p.251-253 |
| 781 | Branson | Branley A. | 1962 | A Pleistocene local fauna from Caddo and Canadian counties, Oklahoma | Vol. 22, no.11, p.280-295 |
| 803 | Branson | Carl C. | 1963 | An Oklahoma fossil crustacean | Vol. 23, no.4, p.93 |
| 827 | Branson | Carl C. | 1963 | Chonetid brachiopods in Oklahoma | Vol. 23, no.8, p.194-195 |
| 870 | Frederickson | E.A. | 1964 | Two Ordovician trilobites from southern Oklahoma | Vol. 24, no.4, p.71-75 |
| 877 | Branson | Carl C. | 1964 | Barnacle burrows in shells of Oklahoma fossils | Vol. 24, no.4, p.98-99 |
| 881 | Harris | R.W. | 1964 | Subgenera of the conodont genus Multioistodus in Simpson-Burgen (Ordovician) of Oklahoma | Vol. 24, no.5, p.108-118 |
| 885 | Maslakova | N.I. | 1964 | Hedbergella, an Oklahoma genus of foraminifera | Vol. 24, no.6, p.130-136 |
| 897 | Harris | R.W. | 1964 | Erismodid conodonts in Simpson (Ordovician) of | Vol. 24, no.8, p.171-177 |

| | | | | | |
|------|-------------|----------------|------|--|---------------------------|
| | | | | Oklahoma | |
| 904 | Branson | Carl C. | 1964 | Sessile foraminifera in the Pennsylvanian of Oklahoma | Vol. 24, no.8, p.188-190 |
| 906 | Esker | George C., III | 1964 | New species of trilobites from the Bromide formation (Pooleville member) of Oklahoma | Vol. 24, no.9, p.195-209 |
| 915 | McCaleb | James A. | 1964 | Two new genera of lower Pennsylvanian ammonoids from northern Arkansas | Vol. 24, no.10, p.233-237 |
| 922 | Branson | Carl C. | 1964 | Reticulatia and Squamaria in Gearyan rocks of Oklahoma | Vol. 24, no.11, p.272-276 |
| 925 | Mook | Charles C. | 1964 | New species of Goniopholis from the Morrison of Oklahoma | Vol. 24, no.12, p.283-287 |
| 939 | Branson | Carl C. | 1965 | Trilobite from the Lenapah limestone | Vol. 25, no.1, p.27-28 |
| 956 | Branson | Carl C. | 1965 | Geology of Byars fossil site | Vol. 25, no.4, p.98 |
| 964 | Branson | Carl C. | 1965 | Ordovician conodonts of the Leningrad region | Vol. 25, no.5, p.133-135 |
| 976 | Conkin | James E. | 1965 | Ordovician (Richmondian) foraminifera from Oklahoma, Missouri, Illinois, and Kentucky | Vol. 25, no.8, p.207-221 |
| 985 | Wilson | L.R. | 1965 | Rhizophagites, a fossil fungus from the Pleistocene of Oklahoma | Vol. 25, no.9, p.257-260 |
| 1002 | Strimple | Harrell L. | 1966 | New species of cromyocrinids from Oklahoma and Arkansas | Vol. 26, no.1, p.3-12 |
| 1014 | Branson | Carl C. | 1966 | New genus of the Spiriferid brachiopod from Oklahoma and Texas | Vol. 26, no.3, p.74-78 |
| 1015 | Branson | Carl C. | 1966 | Conocardium in the Bromide formation (Ordovician) of Oklahoma | Vol. 26, no.3, p.78-79 |
| 1016 | Strimple | Harrell L. | 1966 | A unique crinoid from the upper Permian | Vol. 26, no.3, p.80-84 |
| 1018 | Branson | Carl C. | 1966 | Fresh water ostracode genus Theriosynoecum | Vol. 26, no.4, p.87-96 |
| 1022 | Branson | Carl C. | 1966 | Reticulariina in Oklahoma | Vol. 26, no.4, p.115-116 |
| 1025 | Waddell | Dwight E. | 1966 | Pennsylvanian fusulinid biozones in southern Oklahoma | Vol. 26, no.5, p.123-133 |
| 1047 | Creath | Wilbus B. | 1966 | New isochilinid ostracode from the West Spring Creek formation (Arbuckle Group) of Oklahoma | Vol. 26, no.10, p.243-246 |
| 1077 | Strimple | Harrell L. | 1967 | Aphelecrinidae, a new family of inadunate crinoids | Vol. 27, no.4, p.81-85 |
| 1143 | Strimple | Harrell L. | 1968 | Paracromyocrinus marquisi from the Savanna formation, Oklahoma | Vol. 28, no.1, p.33-36 |
| 1189 | Scott | Robert W. | 1968 | Paleontology and paleoecology of the Kiowa Formation (lower Cretaceous) in Kansas: abstract | Vol. 28, no.4, p.159-160 |
| 1227 | Lundin | Robert F. | 1969 | Ostracodes of the Haragan Formation: abstract | Vol. 29, no.1, p.22-23 |
| 1249 | Williams | Thomas E. | 1969 | Fusulinidae of the Americus Limestone member (Lower Permian), Kansas and Oklahoma: abstract | Vol. 29, no.3, p.80 |
| 1253 | McCoy | Scott, Jr. | 1969 | Variations in late Pennsylvanian Molluscan faunas: abstract | Vol. 29, no.3, p.83 |
| 1296 | Alberstadt | Leonard P. | 1970 | Some middle and upper Ordovician brachiopods from Oklahoma, Missouri, and Tennessee: abstract | Vol. 30, no.3, p.59-60 |
| 1317 | Straka | Joseph John II | 1970 | Age and correlation of the Goddard and Springer formations in southern Oklahoma as determined by conodonts: abstract | Vol. 30, no.4, p.90-91 |
| 1334 | Miller | James F. | 1970 | Conodont zonation of the uppermost Cambrian and lowest Ordovician: abstract | Vol. 30, no.6, p.160 |
| 1341 | Chamberlain | Charles Kent | 1971 | Trace fossils and paleoecology of the Ouachita Mountains of southeastern Oklahoma: abstract | Vol. 31, no.1, p.19-20 |
| 1356 | Shelton | John W. | 1971 | Lungfish burrows in dolomite of the Wellington Formation | Vol. 31, no.3, p.50 |
| 1385 | Cocke | J.M. | 1971 | Distribution of dissepimental corals in Pennsylvanian Missourian rocks of northeastern Oklahoma | Vol. 31, no.6, p.127-135 |
| 1411 | Morris | Robert C. | 1972 | Carboniferous rocks of the Ouachita Mountains, Arkansas: | Vol. 32, no.2, p.53-54 |

| | | | | | |
|------|-----------|----------------|------|--|--------------------------|
| | | | | a flysch facies: abstract | |
| 1441 | Strimple | H.L. | 1972 | The genus Parazophocrinus from the Henryhouse formation (Silurian), Pontotoc County, Oklahoma | Vol. 32, no.4, p.119-121 |
| 1444 | Tipnis | Ravindra S. | 1972 | Lower Ordovician conodonts from the Stonehenge formation of Pennsylvania and Maryland: abstract | Vol. 32, no.4, p.126 |
| 1459 | Strimple | Harrell L. | 1972 | Crinoids of the Savanna formation (Pennsylvanian) Wagoner County, Oklahoma | Vol. 32, no.5, p.147-148 |
| 1485 | Yochelson | Ellis L. | 1973 | The late early Ordovician gastropod Ceratopea in the Arbuckle Mountains, Oklahoma | Vol. 33, no.2, p.67-78 |
| 1510 | Repetski | John E. | 1973 | Conodonts from graptolite facies in the Ouachita Mountains, Arkansas and Oklahoma: abstract | Vol. 33, no.3, p.126-127 |
| 1603 | Meyers | William C. | 1974 | Centonites: a stratigraphically useful palynomorph restricted to upper Pennsylvanian rocks: abstract | Vol. 34, no.3, p.119 |
| 1608 | Yockelson | Ellis L. | 1974 | Late Cambrian Matthevia (Mollusca, Matthevida) in North America: abstract | Vol. 34, no.3, p.121 |
| 1609 | Saunders | W. Bruce | 1974 | Unusual fossil cephalopod jaws from Nevada: abstract | Vol. 34, no.3, p.122 |
| 1613 | Bradshaw | Lael E. | 1974 | Ordovician conodonts from Black Knob Ridge, Oklahoma: abstract | Vol. 34, no.3, p.125 |
| 1623 | Strimple | Harrell L. | 1974 | Abyssoocrinus from the Harragan formation (Devonian) of southern Oklahoma | Vol. 34, no.4, p.160-162 |
| 1646 | Krancer | Anthony E. | 1975 | Nannofossils of the Ozan formation (upper Cretaceous) of southeastern Oklahoma | Vol. 35, no.1, p.3-19 |
| 1648 | Strimple | Harrell L. | 1975 | A rare inadunate crinoid from the Barnsdall formation (upper Pennsylvanian) of Oklahoma | Vol. 35, no.1, p.23-26 |
| 1680 | Ossian | Clair Russell | 1975 | Ordovician vertebrate remains from the Arbuckle Mountains of southern Oklahoma: abstract | Vol. 35, no.2, p.75 |
| 1749 | Krancer | Anthony Edward | 1976 | Nannofossils of the Ozan formation (Cretaceous), McCurtain County, Oklahoma: abstract | Vol. 36, no.1, p.39 |
| 1793 | Simpson | Larry C. | 1976 | Paleontology of the Garber formation (lower Permian), Tillman County, Oklahoma: abstract | Vol. 36, no.3, p.131 |
| 1816 | Friedman | S.A.. | 1976 | Effect on recoverable coal reserves by surface mining under adverse geological and engineering conditions: abstract | Vol. 36, no.6, p.245 |
| 1828 | Strimple | Harrell L. | 1977 | Aphelecrinus (Crinoidea: inadunata) from Chesterian rocks of Oklahoma | Vol. 37, no.1, p.23-25 |
| 1850 | Howe | Herbert J. | 1977 | Brachiopoda from the Cape limestone (upper Ordovician) of southeastern Missouri: abstract | Vol. 37, no.2, p.58-59 |
| 1870 | Strimple | Harrell L. | 1977 | Possible commensal relationship between edriocrinus and the bulbous float of scyphocrinites (Crinoidea: Echinodermata) | Vol. 37, no.5, p.171-173 |
| 1903 | Lewis | Ronald D. | 1978 | Palliseria robusta Wilson (gastropoda) in Oil Creek formation, Arbuckle mountains, Oklahoma | Vol. 38, no.2, p.43-48 |
| 1906 | Strimple | Harrell L. | 1978 | Flexible crinoids from Pitkin formation (Chesterian) of Oklahoma and Arkansas | Vol. 38, no.2, p.61-65 |
| 1931 | Pabian | R.K. | 1978 | Biostratigraphy and paleoecology of late Pennsylvanian crinoids in the central U.S.:abstract | Vol. 38, no.2, p.81 |
| 1938 | Katz | Steven G. | 1978 | Blastoids from Wapanucka formation, lower Pennsylvanian | Vol. 38, no.3, p.99-101 |
| 1955 | Krancer | Anthony Edward | 1978 | Nannofossils of the Ozan formation (Cretaceous), McCurtain County, Oklahoma: abstract | Vol. 38, no.3, p.113-114 |
| 2036 | Cunliffe | James E. | 1979 | Late Pleistocene molluscs, southeastern Tulsa County, Oklahoma | Vol. 39, no.3, p.95-98 |
| 2087 | Owens | Bernard | 1980 | Late Mississippian-early Pennsylvanian miospore assemblages from northern Arkansas: abstract | Vol. 40, no.1, p.36 |
| 2107 | McHargue | T.R. | 1980 | A reconstruction of the unusual apparatus of Histiodellla: | Vol. 40, no.2, p.74 |

| | | | | | |
|------|------------|-----------------|------|---|---------------------------|
| | | | | abstract | |
| 2148 | Amsden | Thomas W. | 1980 | Kirkidium biofacies of Henryhouse formation (Silurian), central Oklahoma subsurface | Vol. 40, no.6, p.218 |
| 2197 | Strimple | Harrell L. | 1981 | Thalamocrinus cf. Elongatus Springer from the Henryhouse formation (Silurian) of Oklahoma | Vol. 41, no.4, p.116-119 |
| 2224 | Campbell | K.S.W. | 1982 | A note on the Haragan trilobite Dicranurus hamatus elegantus | Vol. 42, no.1, p.4-6 |
| 2270 | Sprinkle | James | 1982 | Pseudomonocyclic and pseudocyclic crinoids: new problems in crinoid classification: abstract | Vol. 42, no.2, p.81-82 |
| 2290 | Douglass | Raymond C. | 1982 | Fusulinids of the Atoka formation, south-central Oklahoma: abstract | Vol. 42, no.2, p.93 |
| 2323 | Strimple | H.L. | 1982 | Atokan crinoids: abstract | Vol. 42, no.3, p.156-157 |
| 2471 | Merrill | Glen K. | 1984 | Toward integration of conodont biostratigraphic zones in the middle and upper Carboniferous: abstract | Vol. 44, no.3, p.84-85 |
| 2502 | Sutherland | Patrick K. | 1984 | Morrowan brachiopods in the type "Derryan" series (Pennsylvanian), New Mexico: abstract | Vol. 44, no.3, p.105 |
| 2511 | Finney | Stanley C. | 1984 | The Viola Springs formation (Ordovician) of Oklahoma, a heaven for graptolite specialists | Vol. 44, no.4, p.116-120 |
| 2543 | anon | | 1984 | Fusulinid from Coal County, Oklahoma | Vol. 44, no.5, p.186 |
| 2570 | anon | | 1985 | Newly described brachiopods from the Turkey Creek limestone | Vol. 45, no.2, p.50 |
| 2730 | Ferguson | Charles | 1987 | Ichnofossils in the Ouachitas | Vol. 47, no.1, p.2 |
| 2751 | Watkins | David K. | 1987 | Calcareous nannofossil paleoceanography of the Cretaceous Greenhorn Sea: abstract | Vol. 47, no.1, p.40-41 |
| 2764 | Boston | William B. | 1987 | Predation of cephalopods from the Finis shale (Pennsylvanian-Virgilian) of Texas: abstract | Vol. 47, no.2, p.90 |
| 2793 | Haywa | Jill N. | 1987 | Conodonts of the Welden limestone (Osagean, Mississippian), south-central Oklahoma: abstract | Vol. 47, no.4, p.200 |
| 2803 | Connolly | W. Marc | 1987 | Paleobathymetry of fusiform fusulinids: two complementary schools of thought: abstract | Vol. 47, no.5, p.225-226 |
| 2971 | King | W.E. | 1989 | Permian fusulinids from the Conoco Inc. 33-1 core, Kay County, Oklahoma: abstract | Vol. 49, no.2, p.61 |
| 3065 | Lutz | Anne B. | 1990 | The distribution of the brachiopods Wellerella and Enteleles in the lower Permian Wreford megacyclothem (Nebraska, Kansas and Oklahoma): abstract | Vol. 50, no.4, p.132-133 |
| 3068 | Siveter | D.J. | 1990 | Palaeogeographic significance of middle Ordovician ostracodes from Oklahoma: abstract | Vol. 50, no.4, p.135 |
| 3170 | Hemish | LeRoy A. | 1991 | Fossil linguoid ripple marks in sandstone of the Savanna formation | Vol. 51, no.4, p.118, 155 |
| 3186 | Bowers | Kristine B. | 1991 | A coiled nautiloid from the Holdenville formation, Collinsville, Oklahoma | Vol. 51, no.5, p.158 |
| 3206 | Kleehammer | Richard Stephen | 1991 | Conodont biostratigraphy of late Mississippian shale sequences, south-central Oklahoma: abstract | Vol. 51, no.6, p.206 |
| 3265 | Loch | James D. | 1992 | Trilobite succession within the lower Ordovician Kindblade formation of southern Oklahoma: abstract | Vol. 52, no.3, p.101-102 |
| 3279 | Barrick | James E. | 1992 | Morphologic evolution in early Missourian (Pennsylvanian) species of Idiognathodus and the origin of Streptognathodus (conodonts): abstract | Vol. 52, no.3, p.112 |
| 3280 | Repetski | John E. | 1992 | Lower Ordovician conodonts from the Reelfoot basin, southern midcontinent: abstract | Vol. 52, no.3, p.113 |
| 3409 | Madden | Cary T. | 1993 | Proboscideans and age of Arnett local fauna, northwestern Oklahoma: abstract | Vol. 53, no.4, p.171-172 |
| 3417 | Anderson | John R, II | 1993 | Plocezyga microgastropod biostratigraphy of the midcontinent Pennsylvanian: abstract | Vol. 53, no.5, p.193 |

| | | | | | |
|------|-------------|-------------|------|--|---------------------------|
| 3423 | Pieracacos | Nicholas J. | 1993 | Desmoinesian conodont biostratigraphy of the Deese group, Ardmore basin, Oklahoma: abstract | Vol. 53, no.5, p.197 |
| 3425 | Merrill | Glen K. | 1993 | Carboniferous conodont biofacies and bizarre geochemistry: abstract | Vol. 53, no.5, p.198-199 |
| 3428 | Chludzinski | Gregory P. | 1993 | Lower Ordovician conodonts of the Mazarn formation, Ouachita mountains, Arkansas: abstract | Vol. 53, no.5, p.201 |
| 3513 | Cuffey | Clifford A. | 1994 | Paleoecologic and evolutionary significance of intraspecific morphologic variability in <i>Mesolobus Obsoletus</i> (brachiopoda) from the Middle Pennsylvanian of south-central Oklahoma: abstract | Vol. 54, no.2, p.93-94 |
| 3566 | Williams | Mark | 1994 | Ostracoda (Arthropoda) from the middle Ordovician Simpson group, Oklahoma, U.S.: abstract | Vol. 54, no.4, p.168-169 |
| 3634 | Cuffey | C.A. | 1995 | Adaptive advantage of and mechanism for intraspecific heterochrony in <i>Mesolobus Obsoletus</i> (Brachiopoda) from dysaerobic and brackish paleoenvironments, Pennsylvanian of Oklahoma: abstract | Vol. 55, no.1, p.29-30 |
| 3794 | Hemish | LeRoy A. | 1996 | Stromatolites in the Savanna formation | Vol. 56, no.5, 178, 236 |
| 3879 | Hemish | LeRoy A. | 1997 | "Alligator fossil" and other Oklahoma pseudofossils | Vol. 57, no.4, p.122, 134 |
| 3880 | Cifelli | Richard L. | 1997 | Additions to the vertebrate fauna of the Antlers formation (lower Cretaceous), southeastern Oklahoma | Vol. 57, no.4, p.124-131 |
| 3902 | Cifelli | Richard L. | 1997 | Dinosaur trackway, Cimarron County | Vol. 57, no.5, p.158 |
| 3935 | Hemish | LeRoy A. | 1998 | Jellyfish body fossil or trace fossil? | Vol. 58, no.1, p.2,39-40 |
| 4033 | Heaney | M.J., III | 1998 | Concardoid molluscs from the Buckhorn asphalt quarry of south-central Oklahoma: rostroconchs and rostroconch homeomorphic bivalves: abstract | Vol. 58, no.6, p.261 |
| 4035 | Ritter | Scott M. | 1998 | Conodont biostratigraphy of late Carboniferous - early Permian depositional sequences: abstract | Vol. 58, no.6, p.262 |
| 4142 | Gordon | Cynthia L. | 2000 | A fossil marmot from the late Miocene of western Oklahoma | Vol. 60, no.2, p.28-32 |
| 4145 | Swanson | Brooke A. | 2000 | A new Permian vertebrate trackway in north-central Oklahoma: abstract | Vol. 60, no.2, p.46 |
| 4146 | Joy | Susan | 2000 | A new Permian vertebrate locality in north-central Oklahoma: abstract | Vol. 60, no.2, p.46 |